## **CLAIMS:**

5

25

30

- 1. A method, comprising:
- a) treating nucleic acid molecules or modified nucleic acids in a sample with a reagent or reagents that render the nucleic acid chains unextendable by a non-template-dependent enzyme; and
- b) hybridizing the treated molecules with a nucleic acid probe that includes an extendable terminus, under conditions whereby hybrids form; and
- c) treating any hybrids formed with an non-template
  dependent chain elongating enzyme and substrates therefor, whereby any hybridized probe is extended.
  - 2. The method of claim 1, wherein in step c) the non-template dependent chain elongating enzyme is a telomerase.
- The method of claim 1, wherein the substrates comprise
  detectable moieties.
  - 4. A method of detecting a nucleic acid probe added to a sample containing nucleic acids comprising the steps of:
  - (a) treating the sample with a chain terminating reagent to prevent polynucleotide chain growth from the nucleic acid in the sample;
- 20 (b) contacting the sample with the probe containing a terminus capable of elongation by a chain extending enzyme, wherein said probe hybridizes to the nucleic acid in the sample;
  - (c) contacting the sample with a chain extending enzyme and its substrates, thereby elongating the probe; and
  - (d) detecting the elongated hybridized probe.
  - 5. The method of claim 4, where in the chain terminating reagent reacts directly with the sample to prevent polynucleotide growth.
  - 6. The method in claim 4, wherein the chain terminating reagent is an enzyme substrate that in the presence of the enzyme reacts directly with the sample to prevent polynucleotide growth.

- 7. The method of claim 6, wherein the enzyme substrate is a nucleotide lacking a reactive hydroxyl.
- 8. The method of claim 6, wherein the enzyme substrate is a dideoxynucleotide.
- 5 9. The method of claim 4, wherein the chain extending enzyme is a telomerase.
  - 10. The method of claim 4, where in the telomerase is terminal deoxynucleotidyl transferase.
- 11. The method of claim 4, wherein the chain extending enzyme10 is a polymerase.
  - 12. The method of claim 4, wherein the chain extending enzyme is a polynucleotide phosphorylase.
  - 13. The method of claim 4, wherein the substrates comprise nucleoside triphosphates labeled with fluorescent moieties.
- 15 14. The method of claim 13, wherein the substrate comprises a nucleoside triphosphate labeled with fluorescein dUTP.
  - 15. The method of claim 13, wherein the substrate comprises a nucleoside triphosphate labeled with fluorescein dCTP.
- 16. The method of claim 4, wherein the substrate is a nucleoside20 triphosphate comprising a reporter group.
  - 17. The method of claim 4, wherein the substrate is a nucleoside labeled with biotin dUTP.
  - 18. The method of claim 4, wherein the substrate is a nucleoside labeled with digoxigenin dUTP.

25